



DEVELOPER SUMMIT

March 10–13



Geonet: Getting your questions answered

Kelly Hutchins



JUST
LOOKING
FOR SOME
ANSWERS

How to load new FeatureLayer in FeatureTable

This question is **Not Answered**. ([Mark as assumed answered](#))

Once I load a featureLayer to a FeatureTable I seem to be unable to load a new one in. How can I do this?

I have the same question (0)

31 Views  Tags : featurelayer, featuretable

 Reply

Tags Tag your content to make it easier to find

 featurelayer ✕ featuretable ✕

Update Tags

Average User Rating



(0 ratings)

Your Rating:



Log-in to GeoNet

- [Accounts.esri.com](https://accounts.esri.com)

Create an Esri Account

First Name

Last Name

E-mail Address



We will send you details on how to finalize your account.

[Create an Account](#)

Setup your profile

- **Biography**
- **Contact info**
- **Photos**
- **Skills**

Spaces vs Groups

 Spaces	 Groups
Created by Admin	Created by Users
Structured places	Team based collaboration
Follow	Join a group

Create a custom stream

The screenshot displays the GeoNet interface. On the left, a sidebar contains the following items: 'Actions', 'Activity', 'Connections Stream', 'JS and Online' (highlighted), 'New Stream', and another 'New Stream'. The main content area shows a stream titled 'JS and Online'. At the top of the stream is an announcement: 'ANNOUNCEMENT: Changes coming to where you post content on GeoNet'. Below this is a post by 'Robert Scheitlin, GISP in Web AppBuilder Custom Widgets' from '7 months ago'. The post title is 'What widget do you want most' and the beginning of the text reads 'I have been working on a few custom widgets for the Web App Builder, but I wo...'. A context menu is open over the stream title, showing 'Edit Stream' and 'Delete Stream' options.




You Have to Ask

If one does not ask for information he seldom receives it; so I, for my part, make it a rule to answer any civil question that is asked me.

—THE TIN WOODMAN OF OZ, 1918

Write a good post




“My app stopped working Monday why?”

“Very urgent project need an answer immediately.”

“Actually I can't upgrade to version 3.12”


“I need to project a point – please provide me code”

Create



The screenshot shows a 'Create' menu with a user profile picture and a pencil icon at the top. Below the title, there is a link 'Use large menu'. The menu is organized into two sections: 'CONTENT' and 'PLACES'. Under 'CONTENT', there are options for Discussion, Uploaded File, Document, Blog Post, Poll, Status Update, Message, Event, and Video. Under 'PLACES', there are options for Group and Project.

- Create [Use large menu](#)
- CONTENT
 - Discussion
 - Uploaded File
 - Document
 - Blog Post
 - Poll
 - Status Update
 - Message
 - Event
 - Video
- PLACES
 - Group
 - Project



The screenshot shows a 'Start a discussion' form. At the top, there is a text input field. Below it, there is a checked checkbox with a question mark icon and the text 'Mark this discussion as a question - this encourages people to answer for points and helps you track answers.' Below the checkbox is a rich text editor toolbar with various icons for text formatting (bold, italic, underline, strikethrough, font color, style), alignment (left, center, right, justified), list creation (bulleted, numbered), indentation, link, unlink, table, and source code. Below the toolbar is a large text area for writing the discussion. At the bottom right of the text area, there are links for '@ Mention' and 'Attach'.

Start a discussion

? Mark this discussion as a question - this encourages people to answer for points and helps you track answers.

Font family Font size T_x [List icons] [Link icon] [Table icon] [Source icon]

[Bold] [Italic] [Underline] [Strikethrough] [Text color] Style [Align icons] [Image icon] [Smiley icon] [More icon]

@ Mention Attach

Post where others can find

0 Replies Latest reply on Mar 2, 2015 2:56 PM by Allen Risley 



Allen Risley Mar 2, 2015 2:56 PM

4

Frustrated - Non-editable editable feature service

This question is **Not Answered**.

Visibility: Open to anyone

I am past the point of frustration.

I am trying to provide GIS support to a class at my university that is creating a food course map. I have



Write a good title

“Slow performance using the Change Symbol dialog”

“Can you upload iPad pictures with the attachment editor?”

“Proxy not using post”

Software and version


- **Details**

- My app built using the ArcGIS API for JavaScript doesn't display when using Internet Explorer version 1.2.
- Unable to project data in ArcGIS Desktop 10.1 SP1 with Quality Improvement Patch
- Using Oracle 11.2.0.3.0 (64 bit)

- **Constraints**

What have you tried?

- Search
 - Forums
 - Google
 - Help



Existing discussions



John Bowdre Jun 12, 2012 5:44 AM (in response to John Bowdre)

Re: url parameter popup, and measure widget

Thanks for the info Stuart, but it seems like there has got to be an easier way. Just a line or two of code I am missing. Surely there is a way to hide the info window popup during measurement using "onMeasure". The second group of code I have below does not work, but I am playing around with it.

```
01. function disablepopup() {
02.   map.infoWindow.hide();
03. }
04.
05. <!--ADDING MEASUREMENT TOOLS AND HIDES POPUP ONCLICK-->
06. var measurement = new esri.dijit.Measurement({
07.   map: map, onClick: disablepopup
08. },dojo.byId('measurementDiv'));
09. measurement.startup()
10.
11. <!--HIDES POPUP DURING MEASUREMENT-->
12. dojo.connect(measurement, "onMeasure", map.infoWindow.hide()
13. );
14.
15. <!--DEACTIVATES TOOL AND HIDES POPUP AFTER MEASUREMENT-->
16. dojo.connect(measurement, "onMeasureEnd", function(activeTool,geometry){
17.   this.setTool(activeTool, false), map.infoWindow.hide()
18. });
```

Actions ▾

☆ Helpful Yes | No 🍌 Like (0) 🗨 Reply



Feb 20, 2015 12:21 PM (in response to John Bowdre)

parameter popup, and measure widget

Any recent suggestions for the AMD Module?


Popups configured in my AGOL based JavaScript web map keep popping up when ESRI's measure widget is used.

[My popups are configured in AGOL; not created manually in my code with infowindow.]

Actions ▾


☆ Helpful Yes | No 🍌 Like (0) 🗨 Reply

Create a new discussion and reference



The image shows a rich text editor interface. The toolbar at the top includes options for font family, font size, bold, italic, underline, strikethrough, text color, background color, bulleted list, numbered list, indent, outdent, link, unlink, table, and a source code icon. Below the toolbar, the text input field contains the following text: "I am running into an issue that sounds similar to the issue described in this discussion [Unable to complete operation. \(arcgis10.2 connect with oracle date field \)](#)". The text is rendered in a standard sans-serif font, with the link text in blue and underlined.

Tag people and places




The screenshot shows a social media post editor interface. On the left, there is a text input field with a "Start a discussion" button above it. Below the input field is a checked checkbox labeled "Mark this discussion". Underneath is a rich text editor toolbar with options for font family, font size, bold, italic, underline, strikethrough, and text color. The main text of the post reads "Kelly Hutchins loves the @ArcGIS". On the right side, a "PLACES" dropdown menu is open, displaying a list of suggested tags: "ArcGIS API for JavaScript", "ArcGIS Online", "ArcGIS API for Silverlight", "ArcGIS API for Flex", "ArcGIS Viewer for Flex", "ArcGIS Online Templates", and "Portal for ArcGIS". Each tag is preceded by a location pin icon.



Simplify


- Break down the problem
- Remove unnecessary dependencies
- Sample code and data

Syntax Highlighting



Errors


- Screen shots
- Full error message
- Web apps – developer console



Steps


- **What happened**
- **What did you expect to happen**
- **Can you reproduce the problem**

Tags



Follow-through

- Pay attention
- Helpful
- Mark as correct



The screenshot shows a Stack Overflow post by Sarah Clark, dated Mar 2, 2015 5:00 PM, in response to Dan Ricketts. The question title is "Re: Accessing featurelayer properties from an array of feature layers javascript api". Sarah's answer explains that the issue occurs when layer properties haven't loaded before attempting to access them. She suggests listening for the 'layers-add-result' event and then accessing the layers. A code snippet is provided:

```
01. on(globals.featureLayers[i], 'load', function() {
02.     console.log(globals.featureLayers[i].graphics);
03. });
```

 She concludes with "Hope this helps 😊" and the answer is marked as "Correct Answer" with a green star icon. At the bottom, there are interaction options: "Actions", "Helpful Yes | No", "Like (0)", and "Reply".

Sarah Clark Mar 2, 2015 5:00 PM (in response to Dan Ricketts)

Re: Accessing featurelayer properties from an array of feature layers javascript api

I've had this happen when the layer properties had not loaded before I tried to access them. Could you listen for the 'layers-add-result' event on your map, and after that try to go through the array and access your layers? Or maybe wait for:

```
01. on(globals.featureLayers[i], 'load', function() {
02.     console.log(globals.featureLayers[i].graphics);
03. });
```

Hope this helps 😊

Correct Answer

Actions ▾ ☆ Helpful Yes | No 👍 Like (0) 💬 Reply